



Product Service

Attestation of Conformity

No. ROHS 16 01 76929 051

Holder of Certificate: Signcomplex Limited1-3th Floor, Building 3
Yijia Industrial Park
Fuqian Road, Guanlan Town, Bao'an
518110 Shenzhen, Guangdong
PEOPLE'S REPUBLIC OF CHINA**Product: Lighting chain
(LED Strip)****Model(s): SC-series
(see page 2-6 for details of model no.)****Parameters:**
Rated Voltage : See page 2-6 for details
Rated Power : See page 2-6 for details
Protection Class : III**Tested according to:** EN 62321:2009

The product was tested according to the European Directive 2011/65/EU concerning RoHS.

Pb, Hg, Cd, Cr(VI), PBBs and PBDEs could not be detected over the limit defined by the European Directive 2011/65/EU.

This Attestation of Conformity confirms the compliance with the listed requirements on a voluntary basis. It refers only to the sample submitted and does not certify the quality or safety of the serial products. See also notes overleaf.

Test report no.: 6816415043402**Date,** 2016-01-21 (Mario Ma)**CE** After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. Other relevant directives have to be observed.

Page 1 of 6



Model	Rated Voltage	Rated power input	Product Service
SC-IC-XX-TUV	12VDC	24W	
SC-IC-XX-A-TUV			
SC-TWF3-XX-TUV			
SC-TWF3-XX-A-TUV			
SC-TWF4-XX-TUV			
SC-TWF4-XX-A-TUV			
SC-DTWF3-XX-TUV			
SC-DTWF3-XX-A-TUV			
SC-IB-XX-TUV			
SC-IB-XX-A-TUV			
SC-IS-XX-IC-8mm-TUV			
SC-IS-XX-IB-8mm-TUV			
SC-IS-XX-IA-8mm-TUV			
SC-5050IB-XX-TUV			
SC-5050TWF7-XX-TUV			
SC-5050TWF6-XX-TUV			
SC-ID-RGB-TUV			
SC-IC-RGB-TUV			
SC-IB-RGB-TUV			
SC-ID-RGB-A-TUV			
SC-IC-RGB-A-TUV			
SC-IB-RGB-A-TUV			
SC-TWF3-RGB-TUV			
SC-TWF3-RGB-A-TUV			
SC-TWF4-RGB-TUV			
SC-TWF4-RGB-A-TUV			
SC-DTWF3-RGB-TUV			
SC-DTWF3-RGB-A-TUV			
SC-TWF5-RGB-TUV			
SC-TWF5-RGB-A-TUV			
SC-TWF6-RGB-TUV			
SC-TWF7-RGB-TUV			
SC-TWF7-RGB-A-TUV			



Product Service

SC-5050IB-XX-24-TUV	24VDC	36W
SC-5050TWF7-XX-24-TUV		
SC-5050TWF6-XX-24-TUV		
SC-ID-RGB-24-TUV		
SC-IC-RGB-24-TUV		
SC-IB-RGB-24-TUV		
SC-ID-RGB-24-A-TUV		
SC-IC-RGB-24-A-TUV		
SC-IB-RGB-24-A-TUV		
SC-IC-XX-24-TUV	24VDC	24W
SC-IC-XX-24-A-TUV		
SC-TWF3-XX-24-TUV		
SC-TWF3-XX-24-A-TUV		
SC-TWF4-XX-24-TUV		
SC-TWF4-XX-24-A-TUV		
SC-DTWF3-XX-24-TUV		
SC-DTWF3-XX-24-A-TUV		
SC-IB-XX-24-TUV		
SC-IB-XX-24-A-TUV	12VDC	48W
SC-IC-XX2-TUV		
SC-IC-XX2-A-TUV		
SC-TWF3-XX2-TUV		
SC-TWF3-XX2-A-TUV		
SC-TWF4-XX2-TUV		
SC-TWF4-XX2-A-TUV		
SC-DTWF3-XX2-TUV		
SC-DTWF3-XX2-A-TUV		
SC-TWF7-XX-TUV	12VDC	48W
SC-TWF7-XX-A-TUV		
SC-TWF6-XX-TUV		
SC-TWF5-XX-TUV		
SC-TWF5-XX-A-TUV		
SC-IB-XX2-TUV	12VDC	48W
SC-IB-XX2-A-TUV		
SC-TWF7-XX2-TUV		



Product Service

SC-TWF7-XX2-A-TUV	12VDC	48W
SC-TWF6-XX2-TUV		
SC-TWF5-XX2-TUV		
SC-TWF5-XX2-A-TUV		
SC-IC-XX2-24-TUV	24VDC	48W
SC-IC-XX2-24-A-TUV		
SC-TWF3-XX2-24-TUV		
SC-TWF3-XX2-24-A-TUV		
SC-TWF4-XX2-24-TUV		
SC-TWF4-XX2-24-A-TUV		
SC-DTWF3-XX2-24-TUV		
SC-DTWF3-XX2-24-A-TUV		
SC-TWF7-XX-24-TUV		
SC-TWF7-XX-24-A-TUV		
SC-TWF6-XX-24-TUV		
SC-TWF5-XX-24-TUV		
SC-TWF5-XX-24-A-TUV		
SC-IB-XX2-24-TUV		
SC-IB-XX2-24-A-TUV		
SC-TWF7-XX2-24-TUV		
SC-TWF7-XX2-24-A-TUV		
SC-TWF6-XX2-24-TUV		
SC-TWF5-XX2-24-TUV		
SC-TWF5-XX2-24-A-TUV		
SC-IS-XX-IC-6mm-TUV	12VDC	28.8W
SC-IS-XX-IB-6mm-TUV		
SC-IS-XX-IA-6mm-TUV	12VDC	28.8W
SC-ESID-XX-24V-TUV	24VDC	288W
SC-ESID-RGB-24V-TUV	24VDC	216W
SC-IG3-XX-12-TUV	12VDC	144W
SC-IG3P-XX-12-TUV		
SC-IG3S-XX-12-TUV		
SC-IG3-XX-24-TUV	24VDC	144W
SC-IG3P-XX-24-TUV		
SC-IG3S-XX-24-TUV		



Product Service

SC-ID35-XX-TUV	12VDC	39W
SC-BID-XX-TUV	12VDC	96W
SC-BID-XX-24-TUV	24VDC	96W
SC-WID20-XX-TUV	12VDC	96W
SC-WID10-XX-TUV		
SC-WID20-XX-24-TUV	24VDC	96W
SC-WID10-XX-24-TUV		
SC-IE-XX-TUV	12VDC	36W
SC-IEP-XX-TUV		
SC-IES-XX-TUV		
SC-IG1-XX-12-TUV		
SC-IG1P-XX-12-TUV		
SC-IG1S-XX-12-TUV		
SC-IE-XX-24-TUV	24VDC	36W
SC-IEP-XX-24-TUV		
SC-IES-XX-24-TUV		
SC-IG1-XX-24-TUV		
SC-IG1P-XX-24-TUV		
SC-IG1S-XX-24-TUV		
SC-IE2-XX-TUV	12VDC	72W
SC-IEP2-XX-TUV		
SC-IES2-XX-TUV		
SC-5050IB-XX2-TUV	12VDC	72W
SC-5050TWF7-XX2-TUV		
SC-5050TWF6-XX2-TUV		
SC-ID-RGB2-TUV		
SC-IC-RGB2-TUV		
SC-IB-RGB2-TUV		
SC-ID-RGB2-A-TUV		
SC-IC-RGB2-A-TUV		
SC-IB-RGB2-A-TUV		
SC-TWF3-RGB2-TUV		
SC-TWF3-RGB2-A-TUV		
SC-TWF4-RGB2-TUV		
SC-TWF4-RGB2-A-TUV		



Product Service

SC-DTWF3-RGB2-TUV	12VDC	72W		
SC-DTWF3-RGB2-A-TUV				
SC-TWF5-RGB2-TUV				
SC-TWF5-RGB2-A-TUV				
SC-TWF6-RGB2-TUV				
SC-TWF7-RGB2-TUV				
SC-TWF7-RGB2-A-TUV				
SC-IG2-XX-12-TUV				
SC-IG2P-XX-12-TUV				
SC-IG2S-XX-12-TUV				
SC-IE2-XX-24-TUV	24VDC	72W		
SC-IEP2-XX-24-TUV				
SC-IES2-XX-24-TUV				
SC-5050IB-XX2-24-TUV				
SC-5050TWF7-XX2-24-TUV				
SC-5050TWF6-XX2-24-TUV				
SC-ID-RGB2-24-TUV				
SC-IC-RGB2-24-TUV	24VDC	72W		
SC-IB-RGB2-24-TUV				
SC-ID-RGB2-24-A-TUV				
SC-IC-RGB2-24-A-TUV				
SC-IB-RGB2-24-A-TUV				
SC-IG2-XX-24-TUV				
SC-IG2P-XX-24-TUV				
SC-IG2S-XX-24-TUV	12VDC	122.5W		
SC-IE3-XX-TUV				
SC-IE3-XX-24-TUV			24VDC	122.5W
SC-IE35-90-XX-TUV			12VDC	33.6W
SC-IE35-120-XX-TUV	12VDC	45.4W		

"XX" can be W, NW, WW, stands for different color temperature of LED, "N" stands for natural white, "W" stands for warm white, "blank" stands for cool white.